

|  |                                    |                                    |                                      |
|--|------------------------------------|------------------------------------|--------------------------------------|
| Patient Name<br><b>Jamie Smith</b>                 |                                    | Patient ID<br><b>TZ2966-8101</b>   | Specimen ID<br><b>29281906</b>       |
| Date of Birth<br><b>02/22/1975</b>                 | Age<br><b>45</b>                   | Gender<br><b>M</b>                 | Order Number<br><b>92001055</b>      |
| Date Collected<br><b>10/06/2020</b>                | Date Received<br><b>10/08/2020</b> | Date Reported<br><b>10/09/2020</b> | Requested by<br><b>Genetrack</b>     |
| Tests Ordered<br><b>Chlamydia trachomatis, NAA</b> |                                    |                                    | Report Notes<br><b>Normal report</b> |


| TESTS                                    | RESULT                                   | FLAG | REFERENCE | CODE |
|--|--|------|-----------|------|
| <b>Chlamydia trachomatis, NAA, Urine</b> | <b>Negative</b>                          |      | Negative  | 01   |
|  | No Chlamydia trachomatis detected by NAA |      |           |      |

Nucleic acid amplification (NAA) technology

These results should be interpreted in conjunction with other laboratory and clinical information.

|                |                                 |  |                                   |                                    |
|----------------|---------------------------------|--|-----------------------------------|------------------------------------|
| Lab Code<br>01 | Laboratory<br>Genetrack Biolabs | Address<br>2806 Kingsway Suite 320, Vancouver, BC, Canada, V5R 5T5 | Lab Director<br>Dr. Curt Buchholz | CLIA Certificate No.<br>99D1107498 |
|----------------|---------------------------------|--|-----------------------------------|------------------------------------|

|  |                                    |                                    |  |
|--|------------------------------------|------------------------------------|--|
| Patient Name<br><b>Jamie Smith</b>                 |                                    | Patient ID<br><b>TZ2966-8101</b>   | Specimen ID<br><b>29281906</b>         |
| Date of Birth<br><b>02/22/1975</b>                 | Age<br><b>45</b>                   | Gender<br><b>M</b>                 | Order Number<br><b>92001055</b>        |
| Date Collected<br><b>10/06/2020</b>                | Date Received<br><b>10/08/2020</b> | Date Reported<br><b>10/09/2020</b> | Requested by<br><b>Genetrack</b>       |
| Tests Ordered<br><b>Chlamydia trachomatis, NAA</b> |                                    |                                    | Report Notes<br><b>Abnormal report</b> |

| TESTS                                    | RESULT                                | FLAG   | REFERENCE | CODE |
|--|---------------------------------------|--|-----------|------|
| <b>Chlamydia trachomatis, NAA, Urine</b> | <b>Positive</b>                       | <br>Abn | Negative  | 01   |
|  | Chlamydia trachomatis detected by NAA |  |           |      |

Nucleic acid amplification (NAA) technology

These results should be interpreted in conjunction with other laboratory and clinical information.

|                |                                 |  |                                   |                                    |
|----------------|---------------------------------|--|-----------------------------------|------------------------------------|
| Lab Code<br>01 | Laboratory<br>Genetrack Biolabs | Address<br>2806 Kingsway Suite 320, Vancouver, BC, Canada, V5R 5T5 | Lab Director<br>Dr. Curt Buchholz | CLIA Certificate No.<br>99D1107498 |
|----------------|---------------------------------|--|-----------------------------------|------------------------------------|