

| | | | |
|--|------------------------------------|------------------------------------|--------------------------------------|
| Patient Name Jamie Smith | | Patient ID TZ2966-8101 | Specimen ID 29281906 |
| Date of Birth 02/22/1975 | Age 45 | Gender M | Order Number 92001055 |
| Date Collected 10/06/2020 | Date Received 10/08/2020 | Date Reported 10/09/2020 | Requested by Genetrack |
| Tests Ordered Folate, Serum/Plasma | | | Report Notes Normal report |

| TESTS | RESULT | UNITS | FLAG | REFERENCE RANGE | CODE |
|-----------------------------|-------------|--------------|------|-------------------|-----------|
| Folate, serum/plasma | 15.3 | ng/mL | | 3.1 - 20.5 | 01 |


Alinity CMIA methodology

Folate deficiency is typically associated with serum levels less than 3.5 ng/mL.

These results should be interpreted in conjunction with other laboratory and clinical information.

| | | | | |
|----------------|---------------------------------|--|-----------------------------------|------------------------------------|
| Lab Code 01 | Laboratory Genetrack Biolabs | Address 2806 Kingsway Suite 320, Vancouver, BC, Canada, V5R 5T5 | Lab Director Dr. Curt Buchholz | CLIA Certificate No. 99D1107498 |
|----------------|---------------------------------|--|-----------------------------------|------------------------------------|

| | | | |
|--|------------------------------------|------------------------------------|--|
| Patient Name Jamie Smith | | Patient ID TZ2966-8101 | Specimen ID 29281906 |
| Date of Birth 02/22/1975 | Age 45 | Gender M | Order Number 92001055 |
| Date Collected 10/06/2020 | Date Received 10/08/2020 | Date Reported 10/09/2020 | Requested by Genetrack |
| Tests Ordered Folate, Serum/Plasma | | | Report Notes Abnormal report |

| TESTS | RESULT | UNITS | FLAG | REFERENCE RANGE | CODE |
|-----------------------------|------------|--------------|--|-------------------|-----------|
| Folate, serum/plasma | 3.0 | ng/mL |  <small>Low</small> | 3.1 - 20.5 | 01 |

Alinity CMIA methodology

Folate deficiency is typically associated with serum levels less than 3.5 ng/mL.

These results should be interpreted in conjunction with other laboratory and clinical information.

| | | | | |
|----------------|---------------------------------|--|-----------------------------------|------------------------------------|
| Lab Code 01 | Laboratory Genetrack Biolabs | Address 2806 Kingsway Suite 320, Vancouver, BC, Canada, V5R 5T5 | Lab Director Dr. Curt Buchholz | CLIA Certificate No. 99D1107498 |
|----------------|---------------------------------|--|-----------------------------------|------------------------------------|